						•								
Time Stamp	2007/10/19 18:01	2007/10/19 18:01	2007/10/19 18:01	2007/10/19 18:01	2007/10/19 18:01	2007/10/19 18:01	2007/10/19 18:01	2007/10/19 18:01	2007/10/19 18:01	2007/10/19 18:01	2007/10/19 18:01	2007/10/19 18:01	2007/10/19 18:01	2007/10/19 18:01
Plurals	0FF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	PF.	OFF	OF.	OFF.
Default Operator	S.	8	g S	g S	8	క	8	R	æ	8	S S	8	R	R
DBs	US-PGPUB; USPAT	FPRS; DERWENT	FPRS; EPO; DERWENT	US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT
Search Query	memory near request\$3 near3 (update configur\$6) and @ad<"20030321"	"19831867"	"6505084".pn.	overwrit\$4 near memory near (boot?up start power?up) and @ad<"20030321"	memory near request\$3 near3 (update configur\$6) same programmable and @ad<"20030321"	memory near request\$3 near3 (update configur\$6) and programmable and @ad<"20030321"	(update and configur\$6) near (circut device apparatus system) and programmable near memory and @ad<"20030321"	"20060155397"	(update and configuration) near circut and @ad<"20030321"	(update and configur\$6) near (circut device apparatus system) and programmable with memory and @ad<"20030321"	g05b19/05.ipc. g07c3/08.ipc.	(update and configur\$6) near (circut device apparatus system) and programmable and @ad<"20030321"	(update and configur\$6) near (circut device apparatus system) same programmable and @ad<"20030321"	(update and configur\$6) near (circut device apparatus system) and @ad<"20030321"
Ħ	261	Ħ		<b>H</b>	σ	8	37	1	0	239	S	**	0	1583
Ref #	3	2	១	4	ភ	91	7	83	ย	017	E	112	FF1	L14

## **EAST Search History**

	2007/10/19 18:01	2007/10/19 18:01	2007/10/19 18:01	2007/10/19 18:01	2007/10/19 18:01	2007/10/19 18:01	2007/10/19 18:01	2007/10/19 18:01	2007/10/19 18:01	2007/10/19 18:01	2007/10/19 18:01	2007/10/19 18:01	2007/10/19 18:01	2007/10/19 18:01	2007/10/19 18:01	2007/10/19 18:01	2007/10/19 18:01
	OFF	OFF	OFF	OFF	HO.	- OFF	THO .	OFF	0FF	OFF	OFF	OFF	OFF	TF0	OFF	#O	₽0
	క	æ	æ	8	æ	æ	æ	S.	S.	S.	8	g	S.	æ	æ	క	g
l macor y	DERWENT	DERWENT	FPRS; EPO; DERWENT	DERWENT	US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT
	"19845764" "19914297" "19701323" "19908866"	g05b19/05.ipc. g07c3/08.ipc.	"19831867"	"19831867"	700/95.ccls. 700/96.ccls. and @ad<"20030321"	(cigarret cigar) with process\$3 with (memory storage) and @ad<"20030321"	L19 and (cigarrett cigar)	L19 (cigarrett cigar)	(controller near (interface bus) same (memory) same processor) and (manufacture near process) and "700".clas. and @ad<"20030321"	(controller near (interface bus) same (memory) same processor) and (manufacture near process) and @ad<"20030321"	overwrit\$4 near memory and @ad<"20030321"	over?writ\$4 near memory and @ad<"20030321"	over?writ\$4 near memory near (boot?up start power?up) and @ad<"20030321"	"10797225"	g05b19/05.ipc.	removable near (memory storage) near2(configur\$6 format\$3 updat\$4 adapt\$6) and "709".cdas. and @r\$d<"20030321" and @ad<"20030321"	removable near (memory storage) near2(configur\$6 format\$3 updat\$4 adapt\$6) and "710".cdas. and @rlad<"20030321" and @ad<"20030321"
	4	0	.2	-	897	6	0	6514	-	4	1466	77	0	-	4	∞	41
	115	116	117	118	617	23	17	173	27	1.24	57	- 126	77	877	స్తి	<u>g</u>	ເຄ

10/19/2007 7:19:02 PM C:\Documents and Settings\bdews\Wy Documents\EAST\Workspaces\10797225.wsp

10/19/2007 7:19:02 PM C:\Documents and Settings\bdews\My Documents\EAST\Workspaces\10797225.wsp

2007/10/19 18:01	2007/10/19 18:01	2007/10/19 18:01	2007/10/19 18:01	2007/10/19 18:01	2007/10/19 18:01	2007/10/19 18:01	2007/10/19 18:01	2007/10/19 18:01	2007/10/19 18:01	2007/10/19 18:01
OFF	FP.	OFF	HO.	OFF	#: #:	뜐	OFF	OFF		OFF
SO.	SO.	æ	S.	SK SK SK SK SK SK SK SK SK SK SK SK SK S	ő	S)	<b>e</b> .	N .	R	SO :
US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB;	US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT	USPAT
removable near (memory storage) near2(configur\$6 format\$3 updat\$4 adapt\$6) near data and "700".clas. and @rlad<"20030321" and @ad<"20030321"	removable near (memory storage) near2(configus5 format\$3 updat\$4 adapt\$6) and 700°.clas. and @hdac*20030321" and @ad<"20030321"	removable near (memory storage) near2(configur\$6 format\$3 updat\$4 adapt\$6) and @rlad<"20030321" and @ad<"20030321"	removable near (memory storage) near stor\$6 near2 (install\$6) near data and @ad<"20030221"	removable near (memory storage) near stor\$6 near2 ((installATION) near (data program)) and @ad<"20030221"	(overwrit\$3) near2 ((installATION) near (data program)) and @ad<"20030221"	"6505084".pn.	removable near (memory storage) near stors6 near2 (configurs6 updats6 utility) near data and @ad<"20030221"	(plug¹n²play plug²and²play PNP (PCMCIA near card) hot³swap\$3 (removable near (memony storage)) near2(configur\$6 forma\$3 upda\$4 adap\$6) and "710".clas. and @had<"20030321" and @ad<"20030321"	removable near (memory storage) near stor\$6 near2 ((install\$6) near (data program)) and @ad<"20030221"	(plug?n?play plug?and?play PNP (PCMCIA near card) hot?swap\$3) near2(configur\$6 format\$3 updat\$4 adapt\$6) am "710".clas. and @hfac*20030321" and @ad<"20030321"
0	7	136	15	-	-1	-	2	84	15	34
251	ញ	2	135	స్ట	137	జ్	ຄິ	5	<b>Z</b>	142

## **EAST Search History**

143	17	remote near (memory storage) near stor\$6 near2 (configur\$6 updat\$6 utility) near data and @ad<"20030221"	US-PGPUB; USPAT	&	OFF	2007/10/19 18:01	
<del>7</del>	15	(plug?n?play plug?and?play PNP (PCMCIA near card) hot?swap\$3 (removable near (memory storage))) near2(conflug\$6 format\$3 updat\$4 adapt\$6) and "700".clas. and @ndad."20033321" and @ad<"20030321"	USPAT USPAT	%	<b>OFF</b>	2007/10/19 18:01	
8	23	(US-523214\$ or US-5274782\$ or US-426786\$ or US-42656\$ or US-428658\$ or US-42856\$ or US-42856\$ or US-428756\$ or US-428756\$ or US-4287363\$ or US-428695\$\$ or US-5287363\$ or US-526955\$\$ or US-526975\$\$ or US-6092123\$\$ or US-4290106\$\$ or US-4283773\$\$ or US-4290106\$\$ or US-4283773\$\$ or US-4290106\$\$ or US-4291505\$\$ or US-4306803\$\$ or US-437418\$\$ or US-431931\$\$ or US-4374418\$\$	USPAT		<b>Н</b>	2007/10/19 18:01	
-L46	143	379/221.14.ccls. and @ad<"20030321"	US-PGPUB; USPAT	క	# <sub>-</sub>	2007/10/19 18:01	
L47	,0	L46 and address near configur\$4 with (location identi\$8)	US-PGPUB; USPAT	ĕ	PFO	2007/10/19 18:01	
L48	1261	"configurable interface" "interface address" and @ad<"200303221" and @rlad<"20030321"	US-PGPUB; USPAT	Ř	OFF	2007/10/19 18:01	
£43	10	interface near configured near address and @ad<"200303221" and @rlad<"20030321"	US-PGPUB; USPAT	Ř	OFF	2007/10/19 18:01	
ស្ទ	12	L45 and instal\$6	USPAT	8	OFF	2007/10/19 18:01	
เวิ	17	L46 and location near (identi\$8 address\$3)	US-PGPUB; USPAT	8	OFF	2007/10/19 18:01	
251	83	address near configur\$4 near5 (location identi\$8) and @ad<"20030321"	US-PGPUB; USPAT	S S	OFF	2007/10/19 18:01	
5	0	L46 and address near configur\$4	US-PGPUB; USPAT	ĸ	OFF.	2007/10/19 18:01	
<u>\$</u>	0	(re?start re?boot restart install\$6 up?boot start?up) near2 configur\$6 near2 interface near2 address and @ad<"20030321" and @rlad<"20030321"	US-PGPUB; USPAT	æ	PP.	2007/10/19 18:01	

Page 3

2007/10/19 18:01 2007/10/19 18:01 2007/10/19 18:01

FF0

క క 8

USPAT

L45 and ((program and instruct\$4)

69 2 5

software)

**EAST Search History** 

FFO

유

USPAT

L45 and ((program near instruct\$4) software) and (identi\$6 locat\$4 address)

L45 and controller near (locat\$4 address identi\$6)

9 16

12 address near configured near5   US-PGPUB; OR   OFF   2007/10/19 18:01								
47 configur\$6 near2 interface near2	55	12	address near configur\$4 near5 (location identi\$8) and @ad<"20030321" and @had<"20030321"	US-PGPUB; USPAT	ĕ	OFF	2007/10/19 18:01	
114   address near configur\$   US-PGPUB; OR   OFF	35	47	configur\$6 near2 interface near2 address and @ad<"20030321" and @rlad<"20030321"	US-PGPUB; USPAT	8	PF0	2007/10/19 18:01	
114   address near configur\$4 near\$7   US-PGPUB;   OR	751	0	(re?start re?boot restart install\$6 up?boot start?up) near5 (configur\$6 near2 interface near2 address) and @ad<"20030321" and @rlad<"20030321"	US-PGPUB; USPAT	SO.		2007/10/19 18:01	
22 address near configur\$4 near\$5 ((ccation identi\$8) and (cation identi\$8) and (cation identi\$8) and (cation identi\$8) and (cation identi\$8) and (configur\$6 up?box start?up) with (configur\$6 up?box start?up) with (configur\$6 (cation identi\$8) and (cation initi\$8) and (cat	<u>8</u>	114	address near configur\$4 near5 (location identi\$8)	US-PGPUB; USPAT	ĕ	PF.	2007/10/19 18:01	
0 (re?start re?boot restart install\$6 uS-PGPUB; OR operation by boot start?up) with (configur\$6 uS-PAT and @ad<**2003031** and @ad<**2003321** and @ad<**2003321** and @ad<**2003321** and interface) and @ad<**20030321** and interface) and @ad<**20030321** and @ad<***20030321** and @ad<****	657	77	address near configur\$4 near5 (location identi\$8) and @rlad<"20030321"	US-PGPUB; USPAT	e K	OFF	2007/10/19 18:01	
US-PGPUB; OR OFF	93	0	(re?start re?boot restart install\$6 up?boot start?up) with (configur\$6 near2 interface near2 address) and @ad<"20030321" and @rbad<"20030321"	US-PGPUB; USPAT	SO.	OFF	2007/10/19 18:01	
105 (address locats4) near2 (configur\$5 US-PGPUB; OR adj interface) and @dd<"200303221"  23 (address locats4) near2 (configur\$5 US-PGPUB; OR adj interface) and @dd<"200303221" and @dd<"20030321" and @dd<"20030321" and @dd<"20030321" and @ddc=20030321" and @flad<"20030321" and @flad<"200303221" and	-61	7	L56 and "700".das.	US-PGPUB; USPAT	æ	OFF	2007/10/19 18:01	
23 (address kocats4) near2 (configur\$5 US-PGPUB; OR off adj interface) and	79	105	(address locat\$4) near2 (configur\$5 adj interface) and @ad<"200303221"	US-PGPUB; USPAT	8	OFF	2007/10/19 18:01	
0 (device controls4) near unique near   US-PGPUB; OR off- address and instals5 near (data infos8) and @ad<*20030321" and @ad<*20030321" and @ad<*20030321" and @ad<*20030321" and gad<*20030321" and Gad<*200303221" and Gad 200303221" and Gad</200303221" and Gad<</td <td>8</td> <td>ន</td> <td>(address locat\$4) near2 (configur\$5 adj interface) and @ad&lt;"200303221" and @rlad&lt;"20030321"</td> <td>US-PGPUB; USPAT</td> <td>æ</td> <td>OFF</td> <td>2007/10/19 18:01</td> <td></td>	8	ន	(address locat\$4) near2 (configur\$5 adj interface) and @ad<"200303221" and @rlad<"20030321"	US-PGPUB; USPAT	æ	OFF	2007/10/19 18:01	
16 L45 and ((program near instruct\$4) USPAT OR OFF software) 195 (device controller) near unique near US-PGPUB; OR OFF address and @ad<"20030321" and	\$	0	(device control\$4) near unique near address and instal\$5 near (data info\$8) and @ad<"200303221" and @rlad<"200303211"	US-PGPUB; USPAT	R	OFF	2007/10/19 18:01	
195 (device controller) near unique near defress and @ad<"200303221" and Gad<"20030321" and Gad	59	16	L45 and ((program near instruct\$4) software)	USPAT	ĕ	OFF.	2007/10/19 18:01	
19 controller near unique near address US-PGPUB; OR OFF and @ad<"20030321" and @advex and instalfs and @ad<"200303221" and @ad<"200303221" and @hed<"200303221" and	8	195	(device controller) near unique near address and @ad<"200303221" and @rlad<"200303211"	US-PGPUB; USPAT	ĸ	OFF.	2007/10/19 18:01	
124 (device control\$4) near unique near US-PGPUB; OR OFF address and instal\$5 and @ad<"200303221" and @had<"200303221" and	29	19	controller near unique near address and @ad<"20030321" and @rlad<"20030321"	US-PGPUB; USPAT	Ж	OFF	2007/10/19 18:01	
	88	124	(device control\$4) near unique near address and instal\$5 and @ad<"20030321" and @rbad<"20030321"	US-PGPUB; USPAT	8	OFF	2007/10/19 18:01	

2007/10/19 18:01

F F

8 8

USPAT USPAT

(code instruction program data) near4 (match compar\$4 identical)

4696

28 2

and "700".clas.

2007/10/19 18:01

FF

g

US-PGPUB; USPAT

(restart boot?up start) same

0

2

((machine device) adj (code information data signal)) near (match identical compatible equal parallel) near ((machine device) adj (code information data signal)) and @ad<"20030321"

2007/10/19 18:01 2007/10/19 18:01

2007/10/19 18:01

Æ

క ర్ల క ర్ల

US-PGPUB; USPAT

L46 and address near configur\$4 near5 (location identi\$8)

0

2

configur\$5 adj interface

12276 3875

7 175 7

G06f15/00.ipc.

2007/10/19 18:01 2007/10/19 18:01

띥

US-PGPUB; USPAT

H 유

US-PGPUB; USPAT

USPAT

L45 and instal\$6 near (program L45 and (program software)

0 25

software)

2007/10/19 18:01

R

క

USPAT

L45 and ((program near instruct\$4) software) and (identi\$6) near (locat\$4 address)

5

77

## Page 5

10/19/2007 7:19:02 PM C:\Documents and Settings\bdews\My Documents\EAST\Workspaces\10797225.wsp

# 10/19/2007 7:19:02 PM C:\Documents and Settings\bdews\My Documents\EAST\Workspaces\10797225.wsp

2007/10/19 18:01

Æ

క

USPAT

(machine device automation) near (code instruction program data) near2 (math compar¾4 identical) and "700".clas. and @ad<"20030321"

32

783

2007/10/19 18:01

띪

క

US-PGPUB; USPAT

(machine device automation) near (code instruction program data)
near2 (match compar\$4 identical)
and "700".das. and
@ad<"20030321"

38

쯢

2007/10/19 18:01

胀

೪

USPAT

(code instruction program data)
near (match compar\$4 identical)
and "700".clas. and
@ad<"20030321"

£85

8

2007/10/19 18:01

H

쭝

USPAT

(code instruction program data)
near4 (match compar\$4 identical)
and "700".clas. and
@ad<"20030321"

4167

8

2007/10/19 18:01

뜽

క

US-PGPUB; USPAT

8

(program data instruction) near (execut§3 ran run) near (start boot turn?on) and (@add~20030321" @rldd~20030321") and (700/21. ccls. G06F11/14.ipc. 709/221.cds. G06F15/177.ipc)

**EAST Search History** 

2007/10/19 18:01

H

ಕ

US-PGPUB; USPAT; USOCR

("4141066" | "4562528" | "4592053" | "4959768" | "5504673" | "5712969" | "5872919" | "5878257" | "5925140").PN.

197

8

2007/10/19 18:01

유

ర్ల

US-PGPUB; USPAT

"configuration data comprising" and (@ad<"20030321," @nad<"20030321," and (700/21. cds. G06F1J/14,ipc. 709/221.cds. G06F15/177.ipc)

2007/10/19 18:01 2007/10/19 18:01

유

8 8

USPAT

US-PGPUB; USPAT; USOCR

g06f15/177.ipc and prager ("6505084").URPN.

0

00 10 10 10

2007/10/19 18:01

PF

క

g06f15/177.ipc and microfiche

1102

US-PGPUB; USPAT; USOCR

2007/10/19 18:01

띪

೪

US-PGPUB; USPAT

automation near device and (@ad<"200303221" @rlad<"20030321")

8

´ නු

2007/10/19 18:01

Æ

8

g06f15/177.ipc and @ay<"2002"

0

12

US-PGPUB; USPAT; USOCR

2007/10/19 18:01

뜽

క

g06f15/177.ipc and @ay<"2001"

0

L103

US-PGPUB; USPAT; USOCR

2007/10/19 18:01

뜽

ଞ

US-PGPUB; USPAT; USOCR

(program code data instruction)
near (overnid\$4 overwrit\$4) near
(memory storage) and
(@ad<"2002031")
@rlad<"20030321")

88

1105

2007/10/19 18:01

유

క

g06f15/177.ipc and @ay<"2003"

1106

US-PGPUB; USPAT; USOCR

2007/10/19 18:01

R

윉

g06f15/177.ipc and @ay<"2004'

0

L107

US-PGPUB; USPAT; USOCR

2007/10/19 18:01

胀

క

g06f15/177.ipc. and prager

S

US-PGPUB; USPAT; USOCR

2007/10/19 18:01

OFF.

ర్ల

US-PGPUB; USPAT; USOCR

(program code data instruction) near (overrid\$4 overwrit\$4) near (memory storage)

8

1109

2007/10/19 18:01	2007/10/19 18:01	2007/10/19 18:01	2007/10/19 18:01	2007/10/19 18:01	2007/10/19 18:01	2007/10/19 18:01	2007/10/19 18:01	2007/10/19 18:01	2007/10/19 18:01	2007/10/19 18:01	2007/10/19 18:01
OFF	PF.	Ŧ.	OFF	OFF	OFF	판	OFF	OFF	OFF	- OFF	OFF
S.	8	<b>8</b>		క	8	SO.	æ	æ	R	8	R
USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT
(machine device automation) near (code instruction program data) near (match compar\$4 identical) and "700".clas. and @ad<"20030321"	((machine device) adj (code information data signal)) near (mach identical compatible equal parallel) near ((machine device) adj (code information data signal)) same instal\$4 and @ad<"20030321"	((machine device) adj (code information data signal)) near imach identical compatible equal parallel) near ((machine device) adj (code information data signal)) and @ad<"20030321"	(execute perform process) near (when if) near (match compati\$5 equal) near (data information signal code) and @ad<"20030321"	(execute perform process) near (match compatis's equal) near (data information signal code) and @ad<"20030321"	(execute perform process) near (match compati\$5 equal) near (data information signal code) and "700". clas. and @ad<"20030321"	(execute perform process) near (when if) near (match compati\$5 equal) and @ad<"20030321"	"6317804".pn.	"20040172494"	"5297262".pn.	(override) and (@ad<"200303221" @rlad<"20030321") and (700/21. ccls. G06F11/14.ipc. 709/221.ccls. G06F15/177.ipc)	(instal§6) near (program data instruction) and (@ad.«"20030321" @adad.«"20030321") and (700/21. ccls. G06F1J/14, ipc. 709/221.ccls. G06F1S/177.ipc)
15	#	65	0	81	9	0	Ħ	<b>¬</b>	<b>-</b>	\$	112
8	S81	981 81	183	89	687	8	151	767	693	2	ડ્ડા

### Page 7

10/19/2007 7:19:02 PM C:\Documents and Settings\bdews\My Documents\EAST\Workspaces\10797225.wsp

# 10/19/2007 7:19:02 PM C:\Documents and Settings\bdews\My Documents\EAST\Workspaces\10797225.wsp

2007/10/19 18:01	2007/10/19 18:01	2007/10/19 18:01	2007/10/19 18:01	2007/10/19 18:01	2007/10/19 18:01	2007/10/19 18:01	2007/10/19 18:01	2007/10/19 18:01	2007/10/19 18:01
OFF	FIO	<b>PF</b>	J-0	<b>9</b> FF	OFF	OFF	OFF	NO .	No.
æ	క	8	æ	8	S S	R	8	క	క
US-PGPUB; USPAT	US-PGPUB; USPAT; USOCR	US-PGPUB; USPAT; USOCR	US-PGPUB; USPAT; USOCR	US-PGPUB; USPAT; USOCR	US-PGPUB; USPAT; USOCR	US-PGPUB; USPAT	US-PGPUB; USPAT	DERWENT	US-PGPUB; USPAT
automation near device and (@ad<"200303221" @riad<"20030321") and (700/21. ccs. G06F11/14.ipc. 709/221.ccis. G06F15/177.ipc)	(program code data instruction) near (overrid\$4 overwrit\$4) near (memory storage) and (@ad<"20020321" and @rlad<"20030321")	(program code data instruction) near (overrid\$4 overwrit\$4) near (memory storage) and (@ad<"20020321" and @rad<"20030321") and instat\$6	"20050125575"	(program code data instruction) near (overrid\$4 overwrit\$4) near . (memory storage) and (@ad<**20020321* and @riad<**20030321*) and initali\$6	"20050278464"	(override) near data and (@ad<"20030321" [@ad="20030321" and (700/21. eds. G06F11/14 ipc. 709/221.cds. G06F15/177.ipc)	(instal\$6) near data and (@ad<"20030321" [@ad<"20030321" and (700/21. eds. G06F11/14.ipc. 709/221.cds. G06F15/177.ipc)	(sav\$3 stor\$3 and execut\$3 perform\$\$1) near ((configur\$4) near foldar information code instruction)) and (@ade^20030321" @riade^*20030321")	(sav\$3 stor\$3 and execut\$3 perform\$3) near ((configur\$4) near (data information code instruction)) and (@ad<"20030321" @rlad<"20030321")
e e	8	53	<b>-</b>	0	1	7	33	11	251
1110	1111	L112	[113	L114	1115	7116	7111	1118	1119

## **EAST Search History**

2007/10/19 18:01	2007/10/19 18:01	2007/10/19 18:01	2007/10/19 18:01	2007/10/19 18:01	2007/10/19 18:01	2007/10/19 18:01	2007/10/19 18:01	2007/10/19 18:01	2007/10/19 18:01	2007/10/19 18:01	2007/10/19 18:01	2007/10/19 18:01
NO	OFF.	OFF	FF0	NO O	FP.	HO.	OFF	OFF.	0FF	HO.	FF0	P.
æ	SO.	S.	Я	& S	g	g	g	క	<b>к</b>	g	క	8
US-PGPUB; USPAT	US-PGPUB; USPAT; USOCR	US-PGPUB; USPAT; USOCR	us-pgpub; uspat; usocr	US-PGPUB; USPAT	US-PGPUB; USPAT; USOCR	US-PGPUB; USPAT; USOCR	US-PGPUB; USPAT; USOCR	US-PGPUB; USPAT; USOCR	US-PGPUB; USPAT	USPAT	USPAT	US-PGPUB; USPAT
(sav\$3 stor\$3 and execut\$3 perform\$3) near ((configur\$4) near (data information code instruction)) and (@ad<"20030321" and @nad<"20030321")	memory near location near saved near "last copy"	memory near location near saved	("4141066"   "4562528"   "4592053"   "4592053"   "4593058"   "5504672"   "45712969"   "5872919"   "5878257"   "5925140"), PN. OR ("6505084"). URPN.	(sav\$3 stor\$3 and execut\$3 perform\$3) near ((configur\$4) near (data information code instruction)) and (@ad<"20030321") and @had<"20030321") and ("700".clas. "707".clas. "709".clas. g06(15/177. ipc. g06f11/14.ipc. "710".clas. g0663/00.ipc.)	memory near location near saved and @ad<"200300321"	(memory near location near saved) and @ad<"200300321" and @rlad<"20030321"	(memory near location near saved) and @ad<"200300321" and @rlad<"20030321" and "710".clas.	configuration near data near table and @ad<"200300321" and @rlad<"20030321" and "710".clas.	(match equal identical compatib\$5) near (machine device system) near (data code instruction message) and (data code instruction message) and (data code instruction message) and (data code) 212, and (1710", das. 709/21.cds. g06f3/00.ipc.) cdss. "709".cds. g06f3/00.ipc.)	("6285911").URPN.	update near configur\$6 near2 (save store) near (updated configur\$3)	(error fail\$4 invalid incorrect) near (status condition) near (match equal) and @ad<"20030321"
2	0	236	o	· <b>8</b>	236	81	10	7	8	2	2	111
1120	171	1122	1123	1124	1125	1126	L127	L128	1129	130	L131	L132

The state of the s

10/19/2007 7:19:02 PM C:\Documents and Settings\bdews\My Documents\EAST\Workspaces\10797225.wsp

10/19/2007 7:19:02 PW C:\Documents and Settings\bdews\Wy Documents\EAST\Workspaces\10797225.wsp

2007/02/07 17:34

H

8

US-PGPUB; USPAT

overwrit\$4 near memory near (boot?up start power?up) and @ad<"20030321"

2007/02/07 17:51

FP FP

8 8

US-PGPUB; USPAT US-PGPUB; USPAT

g05b19/05.ipc

S 22 SI

"10797225"

**EAST Search History** 

2007/02/07 17:34

胀

윉

US-PGPUB; USPAT

over?writ\$4 near memory near (boot?up start power?up) and @ad<"20030321"

0

ጷ

2007/02/07 17:35

Ä

8 8 8

US-PGPUB; USPAT

over?writ\$4 near memory and @ad<"20030321"

2007/02/07 17:46

유

8

US-PGPUB; USPAT

(controller near (interface bus) same (memory) same processor) and (manufacture near process) and @ad<"20030321"

S

2007/02/07 17:41

PF

US-PGPUB; USPAT

(cigarret cigar) with process\$3 with (memory storage) and @ad<"20030321"

1446

S

H

US-PGPUB; USPAT

overwrit\$4 near memory and @ad<"20030321"

ያ

SS

2007/02/07 17:49

OFF.

ଞ

US-PGPUB; USPAT

(controller near (interface bus) same (memory) same processor) and (manufacture near process) and "700".clas. and @ad<"20030321"

S10

2007/02/07 17:49 2007/02/07 17:50 2007/02/07 17:50 2007/02/07 17:51 2007/02/07 17:51

FF 0 FF 0 FF 0

8 8 8

US-PGPUB; USPAT US-PGPUB; US-PGPUB; US-PGPUB;

700/95.ccls. 700/96.ccls. and @ad<"20030321"

83

S11 S12 S13 S14

6272

2007/10/19 18:01	2007/10/19 18:01	2007/10/19 18:01	2007/10/19 18:01	2007/10/19 18:01	2007/10/19 18:01	2007/10/19 18:01	2007/10/19 18:11	2007/10/19 18:01	2007/10/19 18:11	2007/10/19 18:11
OFF 2	OFF 2	OFF 2	OFF 2	OFF 2	OFF 2	OFF	OFF 2	OFF 2	OFF 2	8
SO.	S.	N N	OR	SO.	S.	8	8	æ	క	ĕ
US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT	DERWENT	DERWENT	DERWENT	US-PGPUB; DERWENT
(error failst invalid incorrect) near (status condition) near (match equal identical compatib\$5) and @ad<"20030321"	((error fail\$4 invalid incorrect) near (status condition) near (match equal identical compatib\$5)) same (data code instruction message) and @ad<"20030321"	((error fail\$4 invalid incorrect) near (status condition) near (match equal identical compatib\$5)) same (data code instruction message) and (@ad ~"20030321")	((error fail\$4 invalid incorrect) near (status condition) near (match equal identical compatib\$5)) same (data code instruction message) and @ad<"2003031" and @inda<"2003031" and @inda<"2003031"	((error fail\$4 invalid incorrect) near (status condition) near (match equal identical compatib\$5)) same (data code instruction message) and @ad<"20030321" and ("710".clas. 709/221.cds. g06f15/177.ipc. "700".clas. "709".clas. g06f3/00.ipc.)	((error fail\$4 invalid incorrect) near (status condition) near (match equal identical compatib\$5)) same (data code instruction message) and @ad<"20030321" and ("710" clas. 709/221.cds. g06f15/177.ipc. "700". clas. "709".clas. g06f3/00.ipc.)	(match equal identical compatib(\$5) near (machine device system) near (data code instruction message) and @ad<"2003331" and ("710" clas. 709/221.cds. g06f15/177.ipc. "700" clas. "709" clas. g06f3/00.ipc.)	"10312756"	"20060155397"	10/797225	10/797225
114	82	67	8	12	4	23	2		0	1
L133	1134	1135	1136	1137	1138	1139	146	1141	L142	L143

### Page 11

10/19/2007 7:19:02 PM C:\Documents and Settings\bdews\My Documents\EAST\Workspaces\10797225.wsp

	y Documents\EAST\Workspaces\10797225.wsp
10/19/2007 7:19:02 PM	C:\Documents and Settings\bdews\My

2007/02/07 17:52

F F F

8 8 8 8

DERWENT DERWENT

g05b19/05.ipc. g07c3/08.ipc.

0

S15 S16 S17

S11 (cigarrett cigar)
S11 and (cigarrett cigar)
g05b19/05.ipc. g07c3/08.ipc.

US-PGPUB; USPAT 2007/02/07 17:53

FPRS; Derwent

1 "19831867" 1 "19831867"

"19831867"

**S18** 

R

FPRS; EPO; DERWENT DERWENT

2007/02/07 17:59

F H

8 8

"19845764" "19914297" "19701323" "19908866"

S19 S20

"6505084".pn.

FPRS; EPO; DERWENT

### Page 14

## **EAST Search History**

2007/02/08 11:13

H

క

US-PGPUB; USPAT

removable near (memory storage)
near2(configur\$6 format\$3 updat\$4
adapt\$6) am "710".cdas. and
@htac="20030321" and
@ad<"20030321"

8

**EAST Search History** 

2007/02/08 10:50

뜌

g

US-PGPUB; USPAT

removable near (memory storage)
near2(configur\$6 format\$3 updat\$4
adapt\$6) and "709".clas. and
@rlad<"20030321" and
@ad<"20030321"

7

235

2007/02/08 11:14

유

ಕ

US-PGPUB; USPAT

(plug?n?play plug?and?play PNP (PCMCIA near card) hot?swap\$3 (removable near (memory

15

**S36** 

storage))) near2(configur\$6 format\$3 updat\$4 adapt\$6) and "700" clas, and @rład<"20030321"

and @ad<"20030321"

											,	
2007/02/07 18:30	2007/02/07 19:06	2007/02/07 19:07	2007/02/07 19:07	2007/02/07 19:08	2007/02/07 19:08	2007/02/07 19:11	2007/02/07 19:13	2007/02/07 19:13	2007/02/07 19:13	2007/02/08 09:23	2007/02/08 10:45	2007/02/08 10:45
OFF 20	OFF 20	OFF 20	OFF 20	0FF 24	OFF 24	OFF 24	OFF 20	0FF	OFF 24	OFF 24	OFF.	OFF 2
80	ĕ	8	R	8	<u>ه</u>	8	<del>.</del>	8	8	æ	g.	g S
US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT
"20060155397"	(update and configuration) near circut and @ad<"20030321"	(update and configur\$6) near (circut device apparatus system) and @ad<"20030321"	(update and configur\$6) near (circut device apparatus system) same programmable and @ad<"20030321"	(update and configur\$6) near (circut device apparatus system) and programmable and @ad<"20030321"	(update and configur\$6) near (circut device apparatus system) and programmable with memory and @ad<"20030321"	(update and configur\$6) near (dircut device apparatus system) and programmable near memory and @ad<"20030321"	memory near request\$3 near3 (update configur\$6) and @ad<"20030321"	memory near request\$3 near3 (update configur\$6) and programmable and @ad<"20030321"	memory near request\$3 near3 (update configur\$6) same programmable and @ad<"20030321"	removable near (memory storage) near2(configur\$6 format\$3 updat\$4 adapt\$6) and @rlad<"20030321" and @ad<"20030321"	removable near (memory storage) near2(configur\$6 format\$3 updat\$4 adapt\$6) and "700".clas. and @rlad<"20030321" and @ad<"20030321"	removable near (memory storage) near2(configur\$6 format\$3 updat\$4 adapt\$6) near data and "700".clas. and @r\ad~"20030321" and @ad<"20030321"
1	0	1531	0	531	233	*	257	88	თ	133	2	0
221	S22	83	S24	225	S26	227	828	829	SS	ឌ	23	R

2007/02/08 11:14

F,O

క

US-PGPUB; USPAT

(plug?n?play plug?and?play PNP (PCMCIA near card) hot?swap\$3) near{(configur\$6 format\$3 updat\$4 adap\$6} and "710".clas. and @n\$d.\*20030321" and @ad<"20030321"

2007/02/08 11:14

OFF.

8

US-PGPUB; USPAT

(plug?n?play plug?and?play PNP (PCMCIA near card) hot?swap\$3 (removable near (memory

8

83

storage))) near2(configur\$6 format\$3 updat\$4 adapt\$6) and "710".clas. and @rlad<"20030321"

and @ad<"20030321"

34

8

2007/02/08 12:35

FF0

8

US-PGPUB; USPAT

removable near (memory storage) near stor\$6 near2 (configur\$6 updat\$6 utility) near data and @ad<"20030221"

2

쯄

remote near (memory storage) near stor\$6 near2 (configur\$6 updat\$6 utility) near data and @ad<"20030221"

91

2007/02/08 11:53

2007/02/08 11:51

H 胀

ర 8

US-PGPUB; USPAT US-PGPUB; USPAT

"6505084".pn.

झ 3 2007/02/08 12:59

F

簽

US-PGPUB; USPAT

removable near (memory storage)
near stor\$6 near2 ((install\$6) near
(data program)) and
@ad<"20030221"

2007/02/08 12:36

F

8

US-PGPUB; USPAT

removable near (memory storage) near stor\$6 near2 (install\$6) near

15

¥

data and @ad<"20030221

77

8

### Page 13

10/19/2007 7:19:02 PM C:\Documents and Settings\bdews\My Documents\EAST\Workspaces\10797225.wsp

# 10/19/2007 7:19:02 PM C:\Documents and Settings\bdews\Wy Documents\EAST\Workspaces\10797225.wsp

## **EAST Search History**

US-PGPUB; OR OFF 2007/02/09 13:39	US-PGPUB; OR OFF 2007/02/09 13:44 USPAT	US-PGPUB; OR OFF 2007/02/09 13:45 USPAT	US-PGPUB; OR OFF 2007/02/09 13:45 USPAT	USPAT OR OFF 2007/02/09 13:50 USPAT	US-PGPUB; OR OFF 2007/02/09 13:51 USPAT	US-PGPUB; OR OFF 2007/02/09 14:29 US-PAT	US-PGPUB; OR OFF 2007/02/09 14:30 USPAT	US-PGPUB; OR OFF 2007/02/09 14:35 USPAT	US-PGPUB; OR OFF 2007/02/09 14:48 USPAT	US-PGPUB; OR OFF 2007/02/09 14:49 US-PAT	USPAT OR OFF 2007/02/09 15:43
@ad<"20030321" and @rlad<"20030321"	S59 and "700".clas. US-I	configur\$5 adj interface US-I	(address locat\$4) near2 (configur\$5 US-adj interface) and @ad<"200303221"	(address locat\$4) near2 (configur\$5 US- adj interface) and @ad<"200303221" and @rlad<"20030321"	"configurable interface" "interface ddress" and @ad<"200303221" USP and @rlad<"20030321"	interface near configured near address and @ad<"200303221" and USF @rlad<"20030321"	controller near unique near address US- and @ad<"200303221" and USF @rlad<"20030321"	(device controller) near unique near US-address and @ad<"200303221" and USF @rlad<"20030321"	(device control\$4) near unique near US- address and instal\$5 and USF @ad<"200303221" and @rlad<"20030321"	(device control\$4) near unique near US-address and instal\$5 near (data info\$8) and @ad<"200303221" and @rlad<"200303211"	(US-523314 \$ or US-5274782 \$ or US- US-42616 \$ or US-4288658 \$ or US-428658 \$ or US-428658 \$ or US-428658 \$ or US-428658 \$ or US-485601 \$ or US-587363 \$ or US-580692 \$ or US-5817359 \$ or US-580892 \$ or US-5817359 \$ or US-5818992 \$ or US-5817359 \$ or US-5817359 \$ or US-5818992 \$ or US-611735 \$ or US-617359 \$ or US-61735 \$ or US-617359
0	2	10596	88	20	1143	o o	41	167	105	0	52
295	883	<b>%</b>	S65	995	267	88	695	S70	S71	272	573

10/19/2007 7:19:02 PM C:\Documents and Settings\bdews\My Documents\EAST\Workspaces\10797225.wsp

Page 15

2007/02/09 15:45	2007/02/09 15:46	2007/02/11 11:58	2007/02/09 15:47	2007/02/09 15:49	2007/02/09 15:49	2007/02/09 15:50	2007/02/09 15:50	2007/02/11 12:00	2007/02/11 12:01	2007/02/11 12:01	2007/02/11 12:04	2007/02/11 12:05	2007/02/11 12:11
OFF	OFF	OFF	OFF	OFF	-FFO	THO	HO.	- OFF	OFF	0FF	OFF.	FF0	OFF
œ.	æ	æ	æ	æ	æ	ĕ	8 S	8	Ř	8 8	S.	æ	S S
USPAT	USPAT	USPAT	USPAT	USPAT	USPAT	USPAT	USPAT	USPAT	USPAT	USPAT	USPAT	USPAT	US-PGPUB; USPAT
S73 and instal\$6	S73 and instal\$6 near (program software)	S73 and (program software)	S73 and ((program and instruct\$4) software)	S73 and ((program near instruct\$4) software)	S73 and ((program near instruct\$4) software) and (identi\$6 locat\$4 address)	S73 and ((program near instruct\$4) software) and (identi\$6) near (locat\$4 address)	S73 and controller near (locat\$4 address ident\$6)	(code instruction program data) near4 (match compar\$4 identical) and "700".clas.	(code instruction program data) near4 (match compar\$4 identical) and "700".cds. and @ad<"20030321"	(code instruction program data) near (match compar\$4 identical) and "700".clas. and @ad<"20030321"	(machine device automation) near (code instruction program data) mear (macht compar\$4 identical) and "700".das. and @ad<"20030321"	(machine device automation) near (code instruction program data) near2 (macht compar\$4 identical) and "700".das. and @ad<"20030321"	(machine device automation) near (code instruction program data) near (math compar\$4 identical) and "200".das. and @ad<"20030321"
12	0	25	ຊ	91	16	٧n	9	4475	4115	1820	32	36	15
S74	S75	S76	L/S	878	S79	88	<b>5</b>	. <b>28</b> 5	88	*	88	280	285

## **EAST Search History**

2007/02/11 12:22	2007/02/11 12:22	2007/02/11 12:31	2007/02/11 12:35	2007/02/11 12:35	2007/02/11 12:35	2007/02/12 07:46	2007/02/12 10:03	2007/02/12 10:03	2007/02/12 10:03	2007/02/13 14:27	2007/02/13 14:31
±	- PFG	OFF	OFF	0FF	OFF	OFF.	OFF.	K	쁑	OFF.	OFF
ð		R	8	8	æ	g .	æ	S S	æ	8	g.
USPAT	US-PGPUB; USPAT	USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT
(restart boot'up start) same ((machine device) adj (code information data signal)) near informatch identical compatible equal paralle) near ((machine device) adj (code information data signal)) and @ad<"20030321"	((machine device) adj (code information data signal)) near (math identical compatible equal parallel) near ((machine device) adj (code information data signal)) and @ad<"20030321"	((machine device) adj (code information data signal)) near (math identical compatible equal parallel) near ((machine device) adj (code information data signal)) same instal\$4 and @ad<"20030321"	(execute perform process) near (match compatists equal) near (data information signal code) and @ad<"20030321"	(execute perform process) near (when if) near (match compati\$5 equal) near (data information signal code) and @ad<"20030321"	(execute perform process) near (when if) near (match compati\$5 equal) and @ad<"20030321"	(execute perform process) near (match compatists equal) near (data information signal code) and "700". clas. and @ad<"20030321"	"6317804".pn.	"5297262".pn.	"20040172494"	automation near device and (@ad<"200303221" @riad<"20030321")	automation near device and (@ad<"20030321" @hd<"20030321" and (700/21. cds. G06F11/14-ipc. 709/221.cds. G06F15/177.ipc)
0	\$		82	0	0	9	7	-	-	677	2
893	298	295	965	297	865	868	S10 0	S10 1	S10 2	S10 3	S10 4

10/19/2007 7:19:02 PM C:\Documents and Settings\bdews\by Documents\EAST\Workspaces\10797225.wsp

2007/02/13 14:32	2007/02/13 15:05	2007/02/13 15:05	2007/02/13 15:06	2007/02/13 15:11	2007/02/13 15:11	2007/02/13 15:26	2007/02/13 15:58	2007/02/13 15:59	2007/02/13 15:59	2007/02/13 15:59	2007/02/13 15:59
OFF	PF OFF	OFF	FFO	<b>THO</b>	FF OF	JH0	胀	뜐	OFF	PF0	OFF
ĸ	క	Е	g .	Ж	OR	æ	S S	ĸ	ĸ	క	8
US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT	USPAT USPAT	US-PGPUB; USPAT	USPAT	US-PGPUB; USPAT; USOCR	us-pgpub; uspat; usocr	US-PGPUB; USPAT; USOCR	US-PGPUB; USPAT; USOCR	US-PGPUB; USPAT; USOCR
(override) and (@ad<"200303221" @had<"20030321") and (700/21. ccls. G06F11/14.ipc. 709/221.ccls. G06F15/177.ipc)	(override) near data and (@ad<"20030321" (@had<"20030321") and (700/21. cds. G06F11/14-ipc. 709/221.cds. G06F15/177.ipc)	(instal§6) near data and (@ad<"20030321" @had<"20030321." @had<"20030321") and (700/21. ccls. G06F11/14.ipc. 709/221.cds. G06F15/177.ipc)	(instal§6) near (program data instruction) and (@ads"20030321" @adads"20030321") and (700/21. ccls. G06F11/14 ipc. 709/221.ccls. G06F15/177.ipc)	(program data instruction) near (execut\$3 ran run) near (start boot tun?on) and (@ad<"20030321" @irād<"20030321") and (700/21. ccs. G06F11/14 ipc. 709/221.cds. G06F15/177.ipc)	"configuration data comprising" and (@a4<"20030321" @ha4<"20030321") and (700/21. cds. G06F11/14 ipc. 709/221.cds. G06F15/177.ipc)	("6505084").URPN.	("4141066"   "4562528"   "4592053"   "4959768"   "5504673"   "5712969"   "5872919"   "5878257"   "5925140"),PN.	g06f15/177.ipc and prager	g06f15/177.ipc and microfiche	g06f15/177.ipc and @ay<"2001"	g06f15/177.ipc and @ay<"2002"
88	2	31	103	w	7	0	0	0	0	0	0
S10 5	S10 6	S10 7	S10 8	S10 9	S11 1	S11 2	33	S11 4	S11 5	S11 6	S11 7

10/19/2007 7:19:02 PM C:\Documents and Settings\bdews\Wy Documents\EAST\Workspaces\10797225.wsp

## **EAST Search History**

2007/02/13 15:59	2007/02/13 15:59	2007/02/13 16:04	2007/02/13 16:05	2007/02/13 16:06	2007/02/13 16:06	2007/02/13 16:06	2007/02/13 16:08	2007/02/13 16:11	2007/02/13 16:11	2007/02/14 19:02	2007/02/14 18:59
FLO	OFF	OFF	FFO	FF0	<b>₩</b>	OFF	OFF	OFF	FF0	NO	NO
Ř	æ	Ř	8	క	ಕ	క	g	8	æ	<u>R</u>	%
US-PGPUB; USPAT; USOCR	US-PGPUB; USPAT; USOCR	US-PGPUB; USPAT; USOCR	US-PGPUB; USPAT; USOCR	US-PGPUB; USPAT; USOCR	US-PGPUB; USPAT; USOCR	US-PGPUB; USPAT; USOCR	US-PGPUB; USPAT; USOCR	US-PGPUB; USPAT; USOCR	US-PGPUB; USPAT; USOCR	US-PGPUB; USPAT	DERWENT
g06f15/177.ipc and @ay<"2003"	g06f15/177.ipc and @ay<"2004"	g06f15/177.ipc. and prager	(program code data instruction) near (overrid\$4 overwrit\$4) near (memory storage)	(program code data instruction) near (overrid\$4 overwrit\$4) near (memory storage) and (@ad.*20020321") @rład<"20030321")	(program code data instruction) near (overrid\$4 overwrit\$4) near (memory storage) and (@ad<*20020321") @riad<*20030321")	(program code data instruction) near (overrid\$4 overwrit\$4) near (memory storage) and (@ad<"20020321" and @rlad<"20030321") and instal\$6	(program code data instruction) near (overrid\$4 overwrit\$4) near (memory storage) and (@ad<"20020321" and @rlad<"20030321") and initali\$6	"20050125575"	"20050278464"	(sav‡3 stor‡3 and execut\$3 perform\$3) near ((configur\$4) near (data information code instruction)) and (@ad<"20030321" and @had<"20030321")	(sav\$3 stor\$3 and execut\$3 perform\$3) near ((configur\$4) near (data information code instruction)) and (@ad<"20030321" @rlad<"20030321")
	0	4	<del>22</del>	280	2	28	0			88	10
S11 8	S11 9	S12 0	S12 1	S12 2	S12 3	S12 4	S12 5	S12 6	S12 7	S13 0	S13 3

Page 19

10/19/2007 7:19:02 PM C:\Documents and Settings\bdews\My Documents\EAST\Workspaces\10797225.wsp

2007/02/14 19:01	2007/02/14 19:03	2007/02/14 19:34	2007/02/14 19:34	2007/02/14 19:35	2007/02/14 19:35	2007/02/14 19:35	2007/02/14 19:37	2007/02/14 19:37	2007/02/15 09:45	2007/02/15 09:49	2007/02/15 11:08	2007/02/15 11:09
N	NO	<b>T</b>	FF0	OFF	OFF	OFF		OFF	9FF	OFF.	OFF	OFF.
<b>.</b> €	Ř	8	& S	g S	ಹ	& S	ಜ	æ	8	S.	S S	æ
US-PGPUB; USPAT	US-PGPUB;	US-PGPUB; USPAT; USOCR	US-PGPUB; USPAT; USOCR	US-PGPUB; USPAT; USOCR	US-PGPUB; USPAT; USOCR	US-PGPUB; USPAT; USOCR	US-PGPUB; USPAT; USOCR	US-PGPUB; USPAT; USOCR	USPAT	USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT
(sav\$3 stor\$3 and execut\$3 perform\$3) near ((configur\$4) near (data information code instruction)) and (@ad<"20030321" @ntad<"20030321")	(sav\$3 stor\$3 and execut\$3 perform\$\$1) near ((configur\$4) near (data information code instruction)) and (@ad=20030321" and @nfad="20030321") and ("700".clas. "707".clas. "709".clas. g06f15/177. ipc. g06f11/14.ipc. "710".clas. g06f3/00.ipc.)	(*4141066"   "4562528"   "4592053"   "4959768"   "5504672"     5712969"   "5872919"   "5878257"   "5925140"), PN. OR ("6505084"). URPN.	memory near location near saved near "last copy"	memory near location near saved	memory near location near saved and @ad<"200300321"	(memory near focation near saved) and @ad<"200300321" and @rlad<"20030321"	(memory near tocation near saved) and @ad<"200300321" and @rlad<"20030321" and "710".clas.	configuration near data near table and @ad<"200300321" and @rlad<"20030321" and "710".clas.	("6285911").URPN.	update near configur\$6 near2 (save store) near (updated configur\$3)	(error fail\$4 invalid incorrect) near (status condition) near (match equal) and @ad<"20030321"	(error fall}4 invalid incorrect) near (status condition) near (match equal identical compatib\\$5) and @ad<"20030321"
. 222	12	o.	0	224	224	11	10	7	7	'n	111	114
S13 4	S13 5	S13 6	S13 7	S13 8	S13 9	S14 0	S14 1	S14 2	S14 3	S14 4	8 8	S14 9

## **EAST Search History**

2007/02/15 11:10	2007/02/15 11:11	2007/02/15 11:11	2007/02/15 11:15	2007/02/15 11:11	2007/02/15 11:16	2007/02/15 11:17	2007/02/16 08:40	2007/02/16 08:40
# 6	OFF	OFF	OFF	OFF	₽.	<del>1</del> 0	PF.	OFF
ĕ	S.	S.	ő .	& 	æ	æ	ĕ	æ
USPAT USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT	DERWENT	DERWENT
((error failst invalid incorrect) near (status condition) near (match equal identical compatibs(s)) same (data code instruction message) and @ad<"20030321"	((error fail\$4 invalid incorrect) near (status condition) near (match equal identical compatib\$5.)) same (data code instruction message) and @ad<**2003031," and @had<**20030321,"	((error fail\$4 invalid incorrect) near (status condition) near (match equal identical compatib\$5)) same (data code instruction message) and (@ad<"2003/0321")	((error fail\$4 invalid incorrect) near (status condition) near (match equal identical compatib\$5)) same (data code instruction message) and @ad<"2003031" and (?710".clas. 709/221.cds. g06f15/177.ipc. "700". das. "709".cds. g06f3/00.ipc.)	((error fail\$4 invalid incorrect) near (status condition) near (match equal identical compatib\$5)) same (data code instruction message) and @ad<"20030321" and ("710".cds. 709/221.cds. g06f15/177.ipc. "700".cds. "709".cds. g06f3/00.ipc.)	(match equal identical compatib\$5) near (machine device system) near (idate code instruction message) and @ad<"20030321" and ("710".clas. 709/221.cds. g06f15/177.ipc. "700".clas. "709".clas. g06f3/00.ipc.)	(match equal identical compatib\$5) near (machine device system) near (data code instruction message) and @ad<"20030321" and "710".clas. 709/221.cds. g06f15/177.ipc. "700". clas. "709".cds. g06f3/00.ipc.)	"20060155397"	"10312756"
R	£	82	12	4	8	21	0	2
0	S15 1	S15 2	333	515	S15 6	\$15 7	S15 8	S15 9

10/19/2007 7:19:02 PM C:\Documents and Settings\bdews\Wy Documents\EAST\Workspaces\10797225.wsp